

REPORT OF INVESTIGATION (Law Enforcement)

ROUTINE
 SENSITIVE SIGNIFICANT

2 pages

2. TO:
 ATF NATIONAL LABORATORY
 11 RESEARCH BOULEVARD
 ROCKVILLE, MD. 20850

3. MONITORED INVESTIGATION INFORMATION (Number and Branch)
 CIP: BOSTON DISTRICT FY-92
 EXPLOSIVES VIOLATIONS
 REPORT ██████████ E632-92-21

4. TITLE OF INVESTIGATION
 ROSLINDALE BOMBING

5. INVESTIGATION No. (Include Suspect No.)
 63212-92-2008-C

6. TYPE OF REPORT (Check applicable boxes)			7. BUREAU PROGRAM		8. PROJECT(S)
<input type="checkbox"/> PRELIMINARY	<input checked="" type="checkbox"/>	COLLATERAL (Request)	TITLE I	FIREARMS	TARGETED OFFENDER
<input type="checkbox"/> STATUS	<input type="checkbox"/>	COLLATERAL (Reply)	TITLE II		TERRORIST/EXTREMIST
<input type="checkbox"/> FINAL	<input type="checkbox"/>	INTELLIGENCE	TITLE VII	EXPLOSIVES	OCD
<input type="checkbox"/> SUPPLEMENTAL	<input type="checkbox"/>	REFERRAL (Internal)	TITLE II		ITAR
	<input checked="" type="checkbox"/>		TITLE XI		SEAR
	<input type="checkbox"/>		TOBACCO		OMO
	<input type="checkbox"/>		ALCOHOL	<input checked="" type="checkbox"/>	OTHER (Specify) EXPLOSIVES

9. DETAILS:

This report pertains to the investigation on the bombing that occurred at the residence of Thomas Shay Sr., 39 Eastbourne St., Roslindale, Ma. in which a Boston Police Bomb Squad member was killed and another critically injured. ATF, in conjunction with the Boston Homicide Unit, is currently investigating this matter.

On October 28, 1991 in the city Boston, Ma. on 39 Eastbourne St., an explosive device operated by a Futaba switch may have been set off by a transmission or reception frequency, which may have come from a NYNEX tower or a Cablevision dish located, approximately one half mile way, from the site of the detonation.

After interviewing the Managers from NYNEX and Cablevision on November 25, 1991 and getting the frequencies that they operate on. We want to determine if the frequency from the tower or the dish in fact could set off the device.

REQUEST: Determine if frequencies from a NYNEX or a cablevision towers, one half mile away, could activate and set off a Futaba switch.

1. The Futaba frequency has four transmission are: 75-72-52 Mhz and (27 Mhz which is the rarest).

2. The NYNEX transmissions are: 10,556.25 - 10,553.75 - 10,735.00 - 10,558.75 - 10,551.25 - 6,197.24 - 6,226.89.

Receiver: 10,621.25 - 10,618.75 - 10,623.75 - 10,616.25 - 5,945.20 - 5,974.85 - 11225.

10. SUBMITTED BY (Name) SEREF McDOWELL <i>S.McDowell</i>	11. TITLE AND OFFICE SPECIAL AGENT GROUP 3 BOSTON	12. DATE ██████████
13. INTERVIEWED BY (Name) DIRECTOR D. PALAZA <i>Director D Palaza</i>	14. TITLE AND OFFICE GROUP SUPERVISOR	15. DATE ██████████
16. APPROVED BY (Name) Terence J. McArdle <i>TJM</i>	17. TITLE AND OFFICE Special Agent in Charge	18. DATE ██████████

DEPARTMENT OF THE TREASURY
BUREAU OF ALCOHOL, TOBACCO AND FIREARMS

REPORT OF INVESTIGATION - CONTINUATION SHEET

(Law Enforcement)

PAGE 2

OF 2 PAGES

TITLE OF INVESTIGATION

SLINDALE BOMBING

INVESTIGATION NO.

63212-92-2008-C

AILS (Continued)

3. Cablevision transmissions are: 13.10625 - 13.13125 - 13.11878 -
13.14375 Gisa Hz.

Receiver: Low- 12.70625 and High- 12.99375

All the frequencies in this range are used.

REPORT OF INVESTIGATION (Law Enforcement)

ROUTINE

SENSITIVE

SIGNIFICANT

2 pages

2. TO: Special Agent in Charge Boston District Office	3. MONITORED INVESTIGATION INFORMATION (Number and Branch) CIP: BOSTON DISTRICT FY-92 EXPLOSIVES VIOLATIONS REPORT ██████████ E632-92-21
---	---

4. TITLE OF INVESTIGATION ROSLINDALE BOMBING	5. INVESTIGATION No. (Include Suspect No.) 63212-92-2008-C
---	---

6. TYPE OF REPORT (Check applicable boxes)		7. BUREAU PROGRAM		8. PROJECT(S)	
<input type="checkbox"/> PRELIMINARY	<input type="checkbox"/> COLLATERAL (Request)	<input type="checkbox"/> TITLE I	FIREARMS	<input type="checkbox"/> TARGETED OFFENDER	TERRORIST/EXTREMIST
<input checked="" type="checkbox"/> STATUS	<input type="checkbox"/> COLLATERAL (Reply)	<input type="checkbox"/> TITLE II		EXPLOSIVES	
<input type="checkbox"/> FINAL	<input type="checkbox"/> INTELLIGENCE	<input checked="" type="checkbox"/> TITLE XI			<input type="checkbox"/> ITAR
<input type="checkbox"/> SUPPLEMENTAL	<input type="checkbox"/> REFERRAL (Internal)	<input type="checkbox"/> TOBACCO		<input type="checkbox"/> OMO	<input checked="" type="checkbox"/> OTHER (Specify) EXPLOSIVES
		<input type="checkbox"/> ALCOHOL			

9. DETAILS:

REPORT OF INTERVIEW

With Joseph Olson and Kenneth McDonald on November 25 1991 at 1:00 P.M. at 4620 Washington St. Roslindale, Ma. by Special Agents Cronin and McDowell, Bureau of Alcohol, Tobacco and Firearms. Mr. Olson and McDonald states as follows:

Mr. Olson and McDonald the Operation Managers for the NYNEX building on 4620 Washington St. Roslindale, Ma. said that the transmissions that they receive and send out are microwave transmissions from cellular car phones. The frequencies ranges are:

Transmission	Receive
10,556.25	10,621.25
10,553.75	10,618.75
10,735.00	11225
10,558.75	10,623.75
10,551.25	10,616.25
6,197.24	5,945.20
6,226.89	5,974.85

10. SUBMITTED BY (Name) SEREF MCDOWELL <i>S. McDowell</i>	11. TITLE AND OFFICE SPECIAL AGENT GROUP 3 BOSTON	12. DATE ██████████
13. VIEWED BY (Name) VICTOR D. PALAZA <i>Victor D Palaza</i>	14. TITLE AND OFFICE GROUP SUPERVISOR	15. DATE ██████████
16. APPROVED BY (Name) Terence J. McArdle <i>T. McArdle</i>	17. TITLE AND OFFICE Special Agent in Charge	18. DATE ██████████

REPORT OF INVESTIGATION (Law Enforcement)

ROUTINE

SENSITIVE

SIGNIFICANT

1 pages

TO:
Special Agent in Charge
Boston District Office

3. MONITORED INVESTIGATION INFORMATION (Number and Branch)

CIP: BOSTON DISTRICT FY-92
EXPLOSIVES VIOLATIONS

REPORT [REDACTED] E 63293-91

4. TITLE OF INVESTIGATION ROSLINDALE BOMBING			5. INVESTIGATION No. (Include Suspect No.) 63212-92-2008-C		
6. TYPE OF REPORT (Check applicable boxes)			7. BUREAU PROGRAM		8. PROJECT(S)
<input type="checkbox"/>	PRELIMINARY	<input type="checkbox"/>	COLLATERAL (Request)	TITLE I	TARGETED OFFENDER
<input type="checkbox"/>		<input type="checkbox"/>		TITLE II	TERRORIST/EXTREMIST
X	STATUS	<input type="checkbox"/>	COLLATERAL (Reply)	TITLE VII	OCB
<input type="checkbox"/>		<input type="checkbox"/>		TITLE II	ITAR
<input type="checkbox"/>	FINAL	<input type="checkbox"/>	INTELLIGENCE	X TITLE XI	SEAR
<input type="checkbox"/>		<input type="checkbox"/>		TOBACCO	OMO
<input type="checkbox"/>	SUPPLEMENTAL	<input type="checkbox"/>	REFERRAL (Internal)	ALCOHOL	X OTHER (Specify) EXPLOSIVES

9. DETAILS:

REPORT OF INTERVIEW

With Paul Digianvittorio on November 25, 1991 at 1:45 P.M. at 4640 Washington St. Roslindale, Ma. by Special Agent Cronin and McDowell Bureau of Alcohol, Tobacco and Firearms Mr. Digianvittorio states as follows:

Mr. Digianvittorio the manager of the cablevision said that the transmission power is 1/2 watts aimed at Summer St. Boston, Ma.

Transmitter	Receiver
13.10625 Gisa Hz	Low- 12.70625 & High- 12.99375
13.13125 Gisa Hz	
13.11878 Gisa Hz	
13.14375 Gisa Hz	

Mr. Digianvittorio also stated that all the frequencies in this range are used.

10. SUBMITTED BY (Name) SEREF McDOWELL <i>S. McDowell</i>	11. TITLE AND OFFICE SPECIAL AGENT GROUP 3 BOSTON	12. DATE [REDACTED]
VIEWED BY (Name) VICTOR D. PALAZA	14. TITLE AND OFFICE GROUP SUPERVISOR	15. DATE [REDACTED]
16. APPROVED BY (Name) Terence J. McArdle	17. TITLE AND OFFICE Special Agent in Charge	18. DATE [REDACTED]